

#### **Uttar Pradesh Pollution Control Board**

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

160615/UPPCB/Noida(UPPCBRO)/CTO/both/NOIDA/2022 Date: 01/08/2022

To,

M/s

GENESIS GLOBAL SCHOOL UNDERTAKEN K S C EDUCATIONAL SOCIETY A-12, Sector-132, Expressway, Noida, GAUTAM BUDH NAGAR, 201301

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

Consent No-17132200 Date-01/08/2022

CCA is hereby granted to GENESIS GLOBAL SCHOOL UNDERTAKEN K S C EDUCATIONAL SOCIETY located at A-12, Sector-132, Expressway, Noida, GAUTAM BUDH NAGAR, 201301. subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions:

1. This CCA GENESIS GLOBAL SCHOOL UNDERTAKEN K S C EDUCATIONAL SOCIETY granted for the period from 01/08/2022 to 31/07/2027 and valid for manufacturing of following products with Capital Investment/Net Assets Values 9949.3173828 Lakhs

S No	Product	Quantity	Unit
1	EDUCATIONAL INSTITUTE		Metric Tonnes/Day

- 2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended:-
- (i) The daily quantity of effluent discharge (KLD):-

Kind of Effulant	Quantity(KLD)	Treatment facility and discharge point	
Domestic	50.0	STP	

(ii) Trade Effluent Treatment and Disposal:-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time:

Orto

Buha.

Industrial Effluent Quality Standard Standard Parameter S.No. As Per E.P. Act, 1986 pH 1 (As Amended) As Per E.P. Act, 1986 BOD 2 (As Amended) As Per E.P. Act, 1986 COD 3 (As Amended) As Per E.P. Act, 1986 TSS 4 (As Amended)

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards.

S No.	Parameters	Standards
1	рН	As Per E.P. Act, 1986 (As Amended)
2	BOD (mg/L)	As Per E.P. Act, 1986 (As Amended)
3	TSS (mg/L)	As Per E.P. Act, 1986 (As Amended)
4	Fecal Coliform (MPN/100ml)	As Per E.P. Act, 1986 (As Amended)

3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of contro equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards

**Air Pollution Source Details** 

Stack no

	Source			
1	D.G. SET - 1500 KVA	DIESEL	01	Particulate Matter
2	D.G. SET - 1010 KVA	DIESEL	02	Particulate Matter
3	D.G. SET - 500 KVA	DIESEL	03	Particulate Matter

Type of fuel



S No.

Air

Pollution

Height of

Stack

30.0 METER

**FROM** NEAREST ROOFTOP 30.0 METER

FROM NEAREST ROOFTOP 4.5 METER

FROM NEAREST ROOFTOP

Control

Device

*	Emmis	sion Quality Standards	Standards
S No.	Stack no	Parameters	
1	01	Particulate Matter	As Per E.P. Act, 1986 (As Amended)
2	02	Particulate Matter	As Per E.P. Act, 1986 (As Amended
3	03	Particulate Matter	As Per E.P. Act, 1986 (As Amended

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

(iii) The unit will not use any type of restricted fuel.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day	Night Time		Night Time		Night Time
	75	*70	65	55	55	45	50	40

- 4. This CCA is valid for the manufacturing of product as mentioned in serial no. 1 of this CCA order.
- 5. Compulsory documents to be submitted by the Industry/Unit:-
- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
- 6. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
- 7. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
- 8. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.
- 9. In compliance to the G.O dated 1011/81-7-2021-09 (Writ)/2016 dt.13.10.2021 issued by Department o Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-http://www.upecp.in/TrainingSession.aspx for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of noncompliance of this direction, your consent shall be revoked by the Board.
- 10. The industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from th competent authority and submit to the Board, within 3 months time failing which CTO shall be revoked

Specific Conditions:-

the unit must comply with U.P. Ground Water Act, 2019 & unit shall ensure to declare source of water as undertaking.

2. Industry will ensure to comply with Direction no 55 of Commission for Air Quality Management in National Capital Region and Adjoining Areas. The copy of this Direction is available at URL https://caqm.nic.in/WriteReadData/RTF/Direction%20No.55%20(UP)3370f6d2-eefa-49a8-9b6c-7455bebc6196.pdf

3. Industry shall ensure proper operation and maintenance of Sewage Treatment Plant. Also, independent flow meters, logbook and electric meter should be installed for treatment plants.

4. The Unit shall comply with various provisions of Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.

5. The treated effluent/sewage shall be used for irrigation purposes as much as possible.

6. The Unit shall ensure proper operation and maintenance of Sewage Treatment Plant. Also independent flow meters, logbook and electric meter should be installed for Sewage treatment plant.

7. The Unit shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended and all other applicable rules notified under E.P. Act 1986.

8. The Unit shall dispose the hazardous waste through authorized recyclers/TSDF and comply with the provisions of Hazardous and Other Wastes (Management and Trans-boundary Movement) Amendment Rules, 2016 and The Solid Waste Management Rules, 2016

9. The Unit shall submit the point wise compliance report of the conditions imposed in the CTO issued by the Board and the audited balance sheet for the current year and the details of fees deposited till date within a month failing which consent would be deemed void.

10. This consent is only valid for the emission from the diesel based D.G set only as mentioned above and the Unit should ensure that there is no adverse impact on public and environment.

11. The Unit shall develop proper green belt and rain water harvesting system as per guidelines. For green belt at least 8 feet height plants should be planted which shall be properly protected as proper irrigation and maneuvering arrangements shall be made. For the development of the green belt the guidelines issued vide Board office order no. H10405/220/2018/02 Dt. 16-02-2018 shall be complied.

12. This consent is valid only for products and quantity mentioned above. The Unit shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.

13. Industry shall ensure adequate plantation and green belt within its premises. Green cover shall be in compliance of approved map from concerned Authority.

14. Industry shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Commission for Air Quality Management in National Capital Region and Adjoining Areas, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.

#### General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

OBTreated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

he applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof The industry shall provide uninterrupted entry to the STPs/ETPs inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as Praveen by Praveen Kumar Date: 2022.08.01 16:24:09 +05'30' may be necessary.

REGIONAL OFFICER NOIDA

Copy to:

CHIEF ENVIRONMENTAL OFFICER (CIRCLE-1), U.P. POLLUTION CONTROL BOARD, Praveen Digitally signed by Date: 2022.08.01 16:24:22 +05'30' LUCKNOW. Kumar /

REGIONAL OFFICER NOIDA



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL Accredited, FSSAI and MoEF Recognised Testing Laboratory



### **TEST REPORT**

Report No.

Format No.

Reporting Date

Receipt Date

Sample Number

Issued To

: CEFT|GEN|2304260480

: M/s Gensis Global School

A-12, Noida, Greater Noida Expressway

Sample Description

Block-B, Sector-132

: Ambient Air Quality Monitoring

Type of Unit

Sampling location

Sample collected by (Name & Designation)

Date of commencement of monitoring Date of end of monitoring

Sample completion Date

General Information:

Sampling Duration

Instrument Used Instrument calibration status

Meteorlogical Condition including wind direction

Sampling & Analysis Protocol

CEFT Pvt. Ltd. Team

Party Reference No. : NIL

**Near Swimming Pool** 

25.04.2023 26.04.2023

26.04.2023 to 29.04.2023

RDS with Gaseous attachment and PM2.5 Sampler

: CEFT|480

: 7.8 F-01 A

: 29.04.2023

: 26.04.2023

Calibrated Clear Sky

IS-5182 & CPCB Guidelines

#### TEST RESULT

S. No.	Parameter	Result	The second	Test Method	Standard Limit (as per NAAQS*)
1	Particulate Matter (PM <sub>10</sub> ) µg/m <sup>3</sup>	59		IS: 5182 (P-23), 2006	100
2	Particulate Matter (PM <sub>2.5</sub> ) μg/m <sup>3</sup>	22		CPCB Guideline	60
3	Nitrogen Dioxide (NO <sub>2</sub> )µg/m <sup>3</sup>	17	IS: 5	182 (P-6), 1975 Reffirmed-1998	80
4	Sulphur Dioxide (SO <sub>2</sub> ) μg/m <sup>3</sup>	15	IS: 5182 (P-2), 2001		80
5	Carbon Monoxide (CO)mg/m3	1.3		IS: 11255 (P-6), 1999	4

\*NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 16.11.2009

Page No. 1/1

\*\* End of Report\*

Ms. Garima





Note: 1. The test results are related to the sample/ tested as identified.

2. The sample will be discarded after retention time of 7 days unless otherwise specified.

3. Any Discrepancy found in the test report may be communicated within seven days.

4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.

5. The Court Jurisdiction will be Delhi.

6. Customer complaint register is available at the laboratory.



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL Accredited, FSSAI and MoEF Recognised Testing Laboratory



### **TEST REPORT**

Sample Number

Issued To

: CEFT|GEN|2304260481

: M/s Gensis Global School

Report No. Format No. : CEFT|481

A-12, Noida, Greater Noida Expressway

Format No. : 7.8 F-01 A Party Reference No. : NIL

Block-B, Sector-132

Reporting Date

: 29.04.2023

Sample Description

: Ambient Air Quality Monitoring

Receipt Date

: 26.04.2023

General Information:

Sample collected by (Name & Designation)

: CEFT Pvt. Ltd. Team

Type of Unit Sampling location

: Staff Residence Area

Date of commencement of monitoring

: 25.04.2023

Date of end of monitoring

: 26.04.2023

Sample completion Date Sampling Duration

: 26.04.2023 to 29.04.2023

Instrument Used

: 24 Hrs : RDS with Gaseous attachment and PM2.5 Sampler

Instrument calibration status

: Calibrated

Meteorlogical Condition including wind direction

: Clear Sky

Sampling & Analysis Protocol

: IS-5182 & CPCB Guidelines

#### TEST RESULT

S. No.	Parameter	Result	Test Method	Standard Limit (as per NAAQS*)	
1	Particulate Matter (PM <sub>10</sub> ) μg/m <sup>3</sup>	65	IS: 5182 (P-23), 2006		
2	Particulate Matter (PM <sub>2.5</sub> ) µg/m <sup>3</sup>	34	CPCB Guideline	60	
3	Nitrogen Dioxide (NO <sub>2</sub> )μg/m <sup>3</sup>	22	IS: 5182 (P-6), 1975 Reffirmed-1998	80	
4	Sulphur Dioxide (SO <sub>2</sub> ) μg/m <sup>3</sup>	16	IS: 5182 (P-2), 2001	80	
5	Carbon Monoxide (CO)mg/m3	1.6	IS: 11255 (P-6), 1999	4	

\*NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 16.11.2009

\*\* End of Report\*\*

Page No. 1/1

Checked by Ms. Garima



Outla



- 2. The sample will be discarded after retention time of 7 days unless otherwise specified.
- 3. Any Discrepancy found in the test report may be communicated within seven days.
- 4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.
- 5. The Court Jurisdiction will be Delhi.
- 6. Customer complaint register is available at the laboratory.



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL Accredited, FSSAI and MoEF Recognised Testing Laboratory



#### **TEST REPORT**

Sample Number

: CEFT|GEN|2304260482

Issued To

: M/s Gensis Global School

Format No. A-12, Noida, Greater Noida Expressway

: CEFT | 482 : 7.8 F-01 A

Block-B, Sector-132

Party Reference No. : NIL

Report No.

: 29.04.2023

Sample Description

: Ambient Air Quality Monitoring

Reporting Date Receipt Date

: 26.04.2023

Sample collected by (Name & Designation)

CEFT Pvt. Ltd. Team

Type of Unit

Sampling location

CDH Area

Date of commencement of monitoring

25

Date of end of monitoring

26

Sample completion Date

General Information:

26.04.2023 to 29.04.2023

Sampling Duration

24 Hrs.

Instrument Used Instrument calibration status RDS with Gaseous attachment and PM2.5 Sampler Calibrated

Meteorlogical Condition including wind direction

Clear Sky

Sampling & Analysis Protocol

IS-5182 & CPCB Guidelines

#### **TEST RESULT**

S. No.	Parameter	Result	Test Method	Standard Limit (as per NAAQS*)	
1	Particulate Matter (PM <sub>10</sub> ) μg/m <sup>3</sup>	78	IS: 5182 (P-23), 2006	100	
2	Particulate Matter (PM <sub>2.5</sub> ) μg/m <sup>3</sup>	26	CPCB Guideline	60	
3	Nitrogen Dioxide (NO <sub>2</sub> )µg/m <sup>3</sup>	14	IS: 5182 (P-6), 1975 Reffirmed-1998	80	
4	Sulphur Dioxide (SO <sub>2</sub> ) μg/m <sup>3</sup>	10	IS: 5182 (P-2), 2001	80	
5	Carbon Monoxide (CO)mg/m3	12.5	IS: 11255 (P-6), 1999	4	

\*NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 16.11.2009

\*\* End of Report\*\*

Page No. 1/1

Ms. Garima





- 2. The sample will be discarded after retention time of 7 days unless otherwise specified.
- 3. Any Discrepancy found in the test report may be communicated within seven days.
- 4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.
- 5. The Court Jurisdiction will be Delhi.
- 6. Customer complaint register is available at the laboratory.



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL Accredited, FSSAI and MoEF Recognised Testing Laboratory



#### **TEST REPORT**

ULR No.: TC-614523000002070F

**Party Name** 

: M/s Gensis Global School

A-12, Noida, Greater Noida Expressway

Block-B, Sector-132

: Drinking Water

: School Building

Report No.

: CEFT|489

Format No. Reporting Date

: 7.8 F-01G : 29.04.2023

Analysis Completion date: 26.04.2023 to 29.04.2023

Receipt Date

: 26.04.2023

: 26.04.2023

Sampling Date

Sampling method

: As per APHA Method

Sample Quantity

: 1 Ltr.

Source Sample Collected by

Sample Description

Sampling Location

: Sampler

LSRF/Sample ID

: CEFT|GEN|2304260489

#### TEST RESULT

	Parameter	Result	Unit	Limit of ( Rea		
S. No.				Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source (Max.)	Test-Method
	12.20,1638618744	PD	Physical Par	ameters	- Alemana	
1	pH (at 25 °C)	6.96		6.5 to 8.5	No Relaxation;	IS: 3025 (Part-11)
2	Colour, (Max.)	<5	Hazen	5	15	IS: 3025 (Part-4)
3	Odour	Agreeable	54 B	Agreeable	Agreeable	IS: 3025 (Part-5)
4	Taste	Agreeable		Agreeable	Agreeable	IS: 3025 (Part-7)
5	Turbidity, (Max.)	<1	NTU	1	5	IS: 3025 (Part-10)
6	Total Dissolved Solids, (Max.)	1780	mg/l	500	2000	IS: 3025 (Part-16)
			General Par	ameters		
7	Total Hardness as CaCO <sub>3</sub> , (Max.)	513.0	mg/l	200	600	IS: 3025 (Part-21)
8	Calcium as Ca, (Max.)	138.2	mg/l	75	200	IS: 3025 (Part-40)
9	Alkalinity as CaCO <sub>3</sub> , (Max.)	214	mg/l	200	600	IS: 3025 (Part-23)
10	Chloride as Cl, (Max.)	518.9	mg/l	250	1000	IS: 3025 (Part-32)
11	Free Residual Chlorine,(Min.)	0.32	mg/l	0.2	1 ,	IS:3025 (Part-26)
12	Magnesium as Mg, (Max.)	40.8	mg/l	30	100	APHA 3500-Mg (B) 201
13	Sulphate as SO <sub>4</sub> ,(Max.)	52.1	mg/l	200	400	IS: 3025 (Part-24)
14	Fluoride as F, (Max)	ND	mg/l	1	1.5	IS: 3025 (Part-60)
15	Nitrate as NO3, (Max.)	ND	mg/l	45	No Relaxation	IS 3025 (Part-34)
16	Iron as Fe, (Max.)	0.52	mg/l	1	No Relaxation	IS: 3025 (Part-53)
17	Zinc as Zn, (Max.)	ND	mg/l	5	15	IS: 3025 (Part-49)

Note 1. ND = Not Detectable

Page No. 1/2



Note: 1. The test results are related to the sample/ tested as identified.

- 2. The sample will be discarded after retention time of 7 days unless otherwise specified.
- 3. Any Discrepancy found in the test report may be communicated within seven days.
- 4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.
- 5. The Court Jurisdiction will be Delhi.
- 6. Customer complaint register is available at the laboratory.



Regd. Address - Bldg. No. 17, 1st Floor, DLF Industrial Area, Moti Nagar, New Delhi - 110015 Ph.: - 011-45012722 Email: info@ceftlab.com, Website: www.ceftlab.com



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL Accredited, FSSAI and MoEF Recognised Testing Laboratory



#### **TEST REPORT**

ample N	io : CEFT GEN 2304260489					Report No. CEFT 48
	angeline complex Wa				TIS: 10500 : 2012 ffirmed 2018)	
S. No.	Parameter	Result	Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source	Test-Method
18	Manganese as Mn, (Max.)	ND	mg/l	0.1	0.3	IS: 3025 (Part-59)
19	Lead as Pb, (Max.)	ND	mg/l	0.01	No Relaxation	IS: 3025 (Part-47)
20	Cadmium as Cd, (Max.)	ND	mg/l	0.003	No Relaxation	IS: 3025 (Part-41)
21	Total Chromium (as Cr), (Max.)	ND	mg/l	0.05	No Relaxation	IS: 3025 (Part-52)
22	Nickel as Ni, (Max)	ND	mg/l	0.02	No Relaxation	IS: 3025 (Part-54)
23	Barium as Ba, (Max.)	ND	mg/l	0.7	No Relaxation	APHA, 3111 (D) 2017
24	Cyanide as CN, (Max.)	ND	mg/l	0.05	No Relaxation	IS: 3025 (Part-27)
25	Selenium as Se, (Max.)	ND	mg/l	0.01	No Relaxation	APHA, 3111 (B) 2017
26	Mercury as Hg, (Max.)	ND	mg/l	0.001	No Relaxation	By Mercury Analyzer
27	Arsenic as As, (Max.)	ND	∞ mg/l	0.01	No Relaxation	APHA, 3114 (B) 2017
		N	11CROBIOLO	GICAL TEST		
28	E. coli	Abser	nt/100ml	IS: 15185: 2016		Absent per 100ml
29	Total Coliform	Absent/100ml		IS	: 15185 : 2016	Absent per 100ml

Note: 1. ND = Not Detectable

\*\* End of Report\*\*

Page No. 2/2



Della





- $2. \ The \ sample \ will \ be \ discarded \ after \ retention \ time \ of \ 7 \ days \ unless \ otherwise \ specified.$
- 3. Any Discrepancy found in the test report may be communicated within seven days.
- 4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.
- 5. The Court Jurisdiction will be Delhi.
- 6. Customer complaint register is available at the laboratory.



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL Accredited, FSSAI and MoEF Recognised Testing Laboratory



#### **TEST REPORT**

ULR No.: TC-614523000002072F

Party Name

: M/s Gensis Global School

A-12, Noida, Greater Noida Expressway

Block-B, Sector-132

Report No.

: CEFT|491

Format No. Reporting Date : 7.8 F-01G : 29.04.2023

Analysis Completion date: 26.04.2023 to 29.04.2023

Receipt Date

: 26.04.2023

Sampling Date

: 26.04.2023

Sample Description : Drinking Water : Dinning Hall Sampling Location

Sampling method

: As per APHA Method

Source

:RO

Sample Quantity

:1 Ltr.

Sample Collected by

: Sampler

LSRF/Sample ID

: CEFT|GEN|2304260491

#### TEST RESULT

	Parameter	Result	79.5	Limit of ( Rea		
S. No.			Unit	Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source (Max.)	Test-Method
	Linguistics (Eq. 1880) 1 - 1 - 15	m=30	Physical Paran	neters	the balls, size 3	
1	pH (at 25 °C)	6.89		6.5 to 8.5	No Relaxation	IS: 3025 (Part-11)
2	Colour, (Max.)	<5	Hazen	5	15	IS: 3025 (Part-4)
3	Odour	Agreeable		Agreeable	Agreeable	IS: 3025 (Part-5)
4	Taste	Agreeable	<u>.</u>	Agreeable	Agreeable	IS: 3025 (Part-7)
5	Turbidity, (Max.)	<1	NTU	1	5	IS: 3025 (Part-10)
6	Total Dissolved Solids, (Max.)	444	mg/l	500	2000	IS: 3025 (Part-16)
			General Paran	neters		
7	Total Hardness as CaCO <sub>3</sub> , (Max.)	138.0	mg/l	200	600	IS: 3025 (Part-21)
8	Calcium as Ca, (Max.)	42.3	mg/l	75	200	IS: 3025 (Part-40)
9	Alkalinity as CaCO <sub>3</sub> , (Max.)	68.2	mg/l	200	600	IS: 3025 (Part-23)
10	Chloride as Cl, (Max.)	126.9	mg/l	250	1000	IS: 3025 (Part-32)
11	Free Residual Chlorine,(Min.)	ND	mg/l	0.2	1	IS:3025 (Part-26)
12	Magnesium as Mg , (Max.)	7.8	mg/l	30	100	APHA 3500-Mg (B) 2017
13	Sulphate as SO <sub>4</sub> ,(Max.)	15.2	mg/l	200	400	IS: 3025 (Part-24)
14	Fluoride as F, (Max)	ND	mg/l	1	1.5	IS: 3025 (Part-60)
15	Nitrate as NO <sub>3</sub> , (Max.)	ND	mg/l	45	No Relaxation	IS 3025 (Part-34)
16	Iron as Fe, (Max.)	0.12	mg/l	1	No Relaxation	IS: 3025 (Part-53)
17	Zinc as Zn, (Max.)	ND	mg/l	5	15	IS: 3025 (Part-49)

Note 1. ND = Not Detectable

Page No. 1/2







- 2. The sample will be discarded after retention time of 7 days unless otherwise specified.
- 3. Any Discrepancy found in the test report may be communicated within seven days.
- 4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.
- 5. The Court Jurisdiction will be Delhi.
- 6. Customer complaint register is available at the laboratory.



An ISO 9001; 2015, ISO 45001; 2018 (OHSAS); ISO/IEC 17025; 2017 NABL Accredited, FSSAI and MoEF Recognised Testing Laboratory



### **TEST REPORT**

Sample N	No : CEFT GEN 2304260491					Report No. CEFT 4
	Parameter	Result	Unit	Limit of IS: 10500 : 2012 ( Reaffirmed 2018)		10.39 JA 2011
S. No.				Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source (Max.)	Test-Method
18	Manganese as Mn, (Max.)	ND	mg/l	0.1	0.3	IS: 3025 (Part-59)
19	Lead as Pb, (Max.)	ND	mg/l	0.01	No Relaxation	IS: 3025 (Part-47)
20	Cadmium as Cd, (Max.)	ND	mg/l	0.003	No Relaxation	IS: 3025 (Part-41)
21	Total Chromium (as Cr), (Max.)	ND	mg/l	0.05	No Relaxation	IS: 3025 (Part-52)
22	Nickel as Ni, (Max)	ND	mg/l	0.02	No Relaxation	IS: 3025 (Part-54)
23	Barium as Ba, (Max.)	ND	mg/l	0.7	No Relaxation	APHA, 3111 (D) 2017
24	Cyanide as CN, (Max.)	ND	mg/l	0.05	No Relaxation	IS: 3025 (Part-27)
25	Selenium as Se, (Max.)	ND	mg/l	0.01	No Relaxation	APHA, 3111 (B) 2017
26	Mercury as Hg, (Max.)	ND	mg/l	0.001	No Relaxation	By Mercury Analyzer
27	Arsenic as As, (Max.)	ND	mg/l	0.01	No Relaxation	APHA, 3114 (B) 2017
		N	IICROBIOLOG	GICAL TEST		
28	E. coli	Absent/100ml		IS: 15185: 2016		Absent per 100ml
29	Total Coliform	Absent/100ml		IS: 15185: 2016		Absent per 100ml

Note: 1. ND = Not Detectable

\*\* End of Report\*\*

Page No. 2/2



Wille









- 2. The sample will be discarded after retention time of 7 days unless otherwise specified.
- 3. Any Discrepancy found in the test report may be communicated within seven days.
- 4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.
- 5. The Court Jurisdiction will be Delhi.
- 6. Customer complaint register is available at the laboratory.



### Department of Food Safety and Drug Administration Government of Uttar Pradesh

**Uttar Pradesh** 

License

Under

Food Safety and Standards act 2006 (See Regulation 2.1.4(6))

अनुज्ञप्ति संख्या / License Number: **12718055000915** 

1. अनुज्ञप्तिधारी के पंजीकृत कार्यालय का नाम और पता / Name & Registered Office Address of Licensee

GENESIS GLOBAL SCHOOL A UNIT OF K S C EDUCATION SOCIETY L-1 CENTRE STAGE MALL, Gautam Buddha Nagar (Uttar Pradesh) - 201304

2. प्राधिकृत परिसरों का पता / Address of Authorized Premises

A-1 & A-12 SECTOR 132 NOIDA, NOIDA CITY ZONE-5, Gautam Buddha Nagar (Uttar Pradesh) -201304

3. कारोबार का प्रकार / Kind of Business

Club/Canteen

- 4. डेयरी व्यापार विवरण के लिए स्थान के पते और दूध की क्षमता No (एम सी सी)/ थोक के साथ दुग्ध शीतलक केन्द्र (बी एम सी)/ दूध प्रसंस्करण / यूनिट दूध पैकेजिंग यूनिट द्वारा स्वामित्व / आर सी के अनुज्ञप्ति धारक For dairy business details of location with address and capacity of Milk Chilling Centers (MCC)/Bulk Milk Cooling Centers (BMCs)/Milk Processing Units/Milk Packaging Unit owned by the holder of licensee/RC
- 5. अनुज्ञप्ति का वर्ग / Category of License

State

6. यह अनुज्ञप्ति खाद्य संरक्षा और मानक अधिनियम, 2006 के अधीन अनुदत्त की गई और वह अधिनियम के उपबंधों के अध्यादीन है जिनका अनुज्ञप्तिधारी द्वारा अवश्य पालन किया जाना चाहिए / This license is granted under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the licensee.



Kuhi.



स्थान / Place: Gautam Buddha Nagar

दिनांक / Date: 25/12/2018

Sri. Sanjay Sharma Designated Officer

खा. सं. और मा. अधि., 2006 के अधीन राज्य अनुज्ञापन अधिकारी State Licensing Authority under

FSSA, 2006

विधिमान्यता और नवीनीकरण / Validation And Renewal

License Issue /	Period of		Items of Food			
	validity	License Fee Paid	Items of Food products authorized to Manufacture/ Re- pack/ Re-label	Installed / Handling Capacity	Signature Of Designated	
25/12/2018	24/12/2023	Rs.10000		DI O	Officer	
te: This is a sys	stem generato	dlian		details		

te: This is a system generated license and does not require any signature.

### **Product Annexure**

### Department of Food Safety and Drug Administration Government of Uttar Pradesh

Uttar Pradesh

License

Under

Issai

Food Safety and Standards act 2006

(See Regulation 2.1.4(6))



Dula, Butie

sting of relevant chemical and/or microbiological contaminants in food products in accordance with these reg the basis of historical data and risk assessment to ensure production and delivery of safe food through own or N d labs atleast once in six month.

ure that as much as possible the required temperature shall be maintained throughout the supply chain from the pl ; till it reaches the end consumer including chilling, transportation, storage etc.

Manufacturer/ Importer/ Distributer shall buy and sell food products only from, or to , licensed /registered vendor Condition

ietors of hotels, restaurants and other food stalls who sell or expose for sale savouries, sweets or other article of food ontaining separates lists of the articles which have been cooked in ghee, edible oil, vanaspati and other fats for the inform

business operator selling cooked or prepared food shall display a notice board containing the nature of articles being e

manufacture (including ghani operator) or wholesale dealer in butter ,ghee ,vanaspti ,edible oils, solvent extracted oil y other fats shall minimum a register showing the quantity of manufactured, received or sold, nature of oil seed u eal and edible flour used etc. as applicable and the destination of each consignment of the substances sent out from s, and shall present such register for inspection whenever required to do so by the licensing authority.

oducer or manufacturer or vegetable oil ,edible oil and their products shall be edible for license under this act ,unless

sale and movement of stocks of solvents-extracted oil ,'semi refined' or 'raw grade I', edible groundnut flour or edible coducer shall be a sale or movement of stocks directly to a registered user and not to any other person, and no such sale

quantity of solvent-extracted oil, edible groundnut flour or edible coconut flour, or both purchased by a registered use n factory entirely for the purpose intended and shall not be re-sold or otherwise transferred to any other person:

Provided that nothing in this sub-clause shall apply to the sale or movement of the following:-

- 1. Karanjia oil
- 2. Kusum oil
- 3. Mahua oil
- 4. Neem oil
- 5. Tamarind seed oil
- 6. Edible groundnut flour bearing the I.S.I certification mark
- 7. Edible coconut flour bearing the I.S.I certificate mark

business operator shall sell or distribute or offer for sale or dispatch or deliver to any person for purpose of sale any arked and labeled in the manner specified in the regulations unless specifically exempted from this condition vide not sued in the public interest by food safety commissioners in specific circumstances and for a specific period and for re

is a system generated license and does not require any signature.



Thanks

&

Regards.

Kind of Business: Food Business Operator

## **Food Product Category**

14 - Beverages, excluding dairy products

16 - Prepared Foods

Itam

खा. सं. और मा. अधि., 2006 के अधीन राज्य अनुज्ञापन अधिकारी

ldha Nagar

State Licensing Authority under FSSA, 2006

12/2018

#### in of License

d Lusiness operators shall ensure that the following conditions are complied with at all times during the course of its s Operators Shall:

ay a true copy of the license granted in Form C shall at all time at a prominent place in the premises.

necessary access to licensing authorities or their authorized personnel to the premises.

1 authorities about any change or modifications in activities.

by at least one technical person to supervise the production process. The person supervising the production process science with Chemistry/ Bio-chemistry/ Food and nutrition/ Microbiology or a degree or diploma in Food Technology diploma in any other discipline related to the specific requirement of the business from a recognized university or in

1 periodic annual return 1st April to 31st March, with in 31st May of each year. For collection/ handling/manufactual frequency return also to be furnished as specified.

that no product other than the product indicated in the license /registration is produced in the unit.

n factory's sanitary and hygienic standards and workers hygiene as specified in the schedule-4 according to the cates

n daily records of production, raw materials utilization and sales separately.

hat the source and standards of raw material used are of optimum quality.

usiness operator shall not manufacture, store or expose for sale or permit the sale of any article of food in any protection of the licensing authority from any privy, urine, sullage, drain or place of storage of foul and wast

clean-in-place system (whatever necessary) for regular cleaning of machine & equipment.



Bulmi.



Food Licensing & Registration System, FSSAI PLEASE DO NOT REPLY TO THIS MAIL. THIS IS AN AUTO GENERATED MAIL

**Disclaimer:**This e-mail is confidential and may also be legally privileged. If you are not the intended recipient, please notify FSSAI Delhi immediately; you should not copy, forward, disclose or use it for any purpose either partly or completely. If you have received this message in error, please delete it and all copies from your system and notify us immediately. Internet communications cannot be guaranteed to be timely, secure, error or virusfree. Also, the Web/ IT/ Email administrator might not allow E-mails with attachment. Thus the sender does not accept liability for any errors or omissions.

This message contains confidential information and is intended only for the individual(s) addressed in the message. If you are not the named addressee, you should not disseminate, distribute, or copy this e-mail. If you are not the intended recipient, you are notified that disclosing, distributing, or copying this e-mail is strictly prohibited.



Bulie Dutla